

Bobbin Winding on DSE *by Janice Henning*


When I wind the bobbin, I use the auxiliary spindle. I pull it downward and place the small spool cover so the flat side is up.

I place the spool on the spindle so that the thread is coming over the top facing me. I place the large spool cap over the spool with the flat side against the spool.



The book will show you to take the thread tail under to the left side of the tension disk and then under it and then up to the fork guide.

I prefer to take the thread tail over towards the little round silver tension disk and I go to the **right side** and take the thread under and to the left and then over the tension disk and to the right. The cross over of the threads keeps the thread from popping out of the tension disk.




Then I grasp both threads and tug on it to make sure it is seeded in the tension disk

fully.





Then I take the thread up through the little fork like guide and I place the bobbin on the winder with the logo facing upward. Inside the bobbin and on the upper part of the bobbin there are grooves that are there to wrap the threads into.



I wrap the tail of the thread towards the top side of the bobbin into those grooves around 3 times and then I push the white knob up against the bobbin winder and put the thread into the cutter.

Then I touch the “start” that comes up on the screen.



Bobbin fills perfectly even.

On page 1-14 of the User's guide", the information on bobbin winding has a special "NOTE".

Embroidery weight bobbin thread should be wound two turns around the thread tension guide.